









Revision 03-11-2008

<p>Name TR</p> <p>Name origin Trailed sprayer with hydraulic boom lift and manual fold.</p> <p>Production start 1995</p> <p>Production stop 1999</p> <p>Tank size (litre) 1000, 1400</p> <p>Notes Breadloaf shaped tank supported on large diameter tube. Adjustable axle width.</p>		
<p>Boom size (m) 10, 12, 15</p> <p>Boom name MB</p> <p>Name origin Medium Boom</p> <p>Production start 1982</p> <p>Production stop 15m stopped in 1986.</p> <p>Notes Hydraulic boom lift. Manually cross folded. Trapeze suspension. Inner/outer sections have a stainless steel lock.</p>		

<p>Name TR 2000</p> <p>Name origin Trailed sprayer 2000 litre series with hydraulic boom lift.</p> <p>Production start 2000</p> <p>Production stop 2006</p> <p>Tank size (litre) 2000</p> <p>Notes Oval shaped tank supported on "C" profile channels. Single and tandem axle option.</p>		
<p>Boom size (m) 13.5, 15, 18, 20, 21</p> <p>Boom name SPB</p> <p>Name origin Spring suspended B version</p> <p>Production start 1996</p> <p>Production stop In production</p> <p>Notes Trapeze suspension arms supported by coil springs. Hydraulic boom lift. Manual and hydraulic fold version.</p>		



<p>Name TX Name origin Trailed sprayer with hydraulic boom lift and manual boom fold. Production start 1982 Production stop 1996 Tank size (litre) 1500, 2400 Notes Breadloaf shaped tank supported in deep frame.</p>		
<p>Boom size (m) 12, 15, 16, 18 Boom name SPA Name origin Spring suspended A version Production start 1989 Production stop 1997 Notes Trapeze suspension arms supported by two coil springs. Hydraulic boom lift. Manual fold along side of tank.</p>		







<p>Name TY Name origin Trailed sprayer with hydraulic boom lift and boom fold. Production start 1982 Production stop 1996 Tank size (litre) 1500, 2400, 3500 Notes Breadloaf shaped tank supported in deep frame.</p>			
<p>Boom size (m) 12, 15 Boom name HYB Name origin Hydraulic B version ("Seagull wing") Production start 1991 Production stop 2001 Notes The breakaway functions in both forward and back direction. TRIPLET nozzle holders standard.</p>	<p>12, 15, 16, 18 Boom name LHY Name origin Light Hydraulic Y version Production start 1982 Production stop 1998 Notes Hydraulic boom lift and fold. Trapeze suspension. TRIPLET nozzle holders standard.</p>	<p>20, 21, 24, 28 Boom name MHY Name origin Medium Hydraulic Y version Production start 1989 Production stop 2000 Notes Hydraulic boom lift and fold. Trapeze suspension. TRIPLET nozzle holders standard.</p>	






<p>Name TZ</p> <p>Name origin Trailed sprayer with electric controlled hydraulic boom lift and fold.</p> <p>Production start 1982</p> <p>Production stop 1996</p> <p>Tank size (litre) 1500, 2400, 3500</p> <p>Notes Breadloaf shaped tank supported in deep frame.</p>			
<p>Boom size (m) 12, 15, 16, 18, 20, 21, 24</p> <p>Boom name LHZ</p> <p>Name origin Light Hydraulic Z version</p> <p>Production start 1982</p> <p>Production stop 1998</p> <p>Notes Electricly controlled hydraulic boom lift, fold, slant, tilt and fold of outer sections only. Trapeze suspension. TRIPLET nozzle holders standard.</p>	<p>20, 21, 24, 28</p> <p>MHZ</p> <p>Medium Hydraulic Z version</p> <p>1989</p> <p>2000</p> <p>Electricly controlled hydraulic boom lift, fold, slant, tilt and fold of outer sections only. Trapeze suspension. TRIPLET nozzle holders standard.</p>	<p>18, 20, 21, 24, 27, 28</p> <p>OLH</p> <p>Olympic HARDI</p> <p>1994</p> <p>2001</p> <p>Electricly controlled hydraulic boom lift, fold, slant, tilt and fold. Pendulum suspension. TRIPLET nozzle holders standard.</p>	

<p>Name TA</p> <p>Name origin Trailed air assisted sprayer with electric controlled hydraulic boom lift & fold.</p> <p>Production start 1989</p> <p>Production stop 1996</p> <p>Tank size (litre) 1500, 2400, 3500</p> <p>Notes Breadloaf shaped tank supported in deep frame.</p>			
<p>Boom size (m) 12, 15, 16, 18</p> <p>Boom name HAB</p> <p>Name origin Hydraulic Air-assisted Boom</p> <p>Production start 1988</p> <p>Production stop 1998</p> <p>Notes Self contained hydraulic system to power single blower for air assisted boom. Electricly controlled hydraulic lift, fold, slant, tilt and fold of outer sections only. Trapeze suspension. TRIPLET nozzle holders standard.</p>	<p>18, 20 21, 24</p> <p>HAC</p> <p>Hydraulic Air-assisted Boom</p> <p>1992</p> <p>1997</p> <p>Self contained hydraulic system to power single blower for air assisted boom. Electricly controlled hydraulic lift, fold, slant, tilt and fold of outer sections only. Trapeze suspension. TRIPLET nozzle holders standard. Cables from centre section help support the boom wings.</p>		






<p>Name Name origin Production start Production stop Tank size (litre) Notes</p>	<p>COMMANDER New name series 1996 2000 2200, (2600), 2800, 3200, 4200 Drawbar bolted to tank frame.</p>			
<p>Boom size (m) Boom name Name origin Production start Production stop Notes</p>	 <p>12, 15, 16, 18 LHY Light Hydraulic Y version 1982 1998 Hydraulic boom lift and fold. Trapeze suspension. TRIPLET nozzle holders standard.</p>	 <p>12, 15, 16, 18, 20, 21, 24 LHZ Light Hydraulic Z version 1982 1998 Electricly controlled hydraulic boom lift, fold, slant, tilt and fold of outer sections only. Trapeze suspension. TRIPLET nozzle holders standard.</p>	<p>Picture missing</p> <p>18, 20, 21, 24, 27, 28 OLH Olympic HARDI 1994 2001 Electricly controlled hydraulic boom lift, fold, slant, tilt and fold. Pendulum suspension. TRIPLET nozzle holders standard.</p>	
<p>Boom size (m) Boom name Name origin Production start Production stop Notes</p>	<p>Picture missing</p> <p>18, 20, 21, 24, 27, 28 OLS Olympic S version 1994 2001 Hydraulic boom lift, fold, tilt, slant and fold. Hydraulics are indirect (switch and lever). Pendulum suspension. TRIPLET nozzle holders standard.</p>	<p>Picture missing</p> <p>18, 20, 21, 24, 27, 28 OLV Olympic V version 1994 2001 Electricly controlled hydraulic boom lift, fold, slant and fold. Pendulum suspension. TRIPLET nozzle holders standard.</p>	 <p>20, 21, 24, 28 MHY Medium Hydraulic Y version 1989 2000 Hydraulic boom lift and fold. Trapeze suspension. TRIPLET nozzle holders standard.</p>	
<p>Boom size (m) Boom name Name origin Production start Production stop Notes</p>	 <p>12, 15, 16, 18 HAB Hydraulic Air-assisted B version 1988 1998 Self contained hydraulic system to power single blower for air assisted boom. Electricly controlled hydraulic lift, fold, slant, tilt and fold of outer sections only. Trapeze suspension. TRIPLET nozzle holders standard.</p>	 <p>18, 20, 21, 24 HAC Hydraulic Air-assisted C version 1992 1997 Self contained hydraulic system to power single blower for air assisted boom. Electricly controlled hydraulic lift, fold, slant, tilt and fold of outer sections only. Trapeze suspension. TRIPLET nozzle holders standard. Cables from centre section help support the boom wings.</p>	 <p>18, 20, 21, 24, 27, 28 HAY (TWIN FORCE) Hydraulic Air-assisted Y version 1997 In production Self contained hydraulic system to power two blowers for air assisted boom. Hydraulic lift and fold. Pendulum suspension. TRIPLET nozzle holders standard.</p>	









<p>Boom size (m) Boom name Name origin Production start Production stop Notes</p>	 <p>18, 20 21, 24, 27, 28 HAZ (TWIN FORCE) Hydraulic Air-assisted Z version 1997 In production Self contained hydraulic system to power two blowers for air assisted boom. Electricly controlled hydraulic boom lift, fold, slant, tilt and fold of outer sections only. Pendulum suspension. TRIPLET nozzle holders standard.</p>	 <p>15, 16, 18 LPY Light Pendulum Y version 1998 2005 Hydraulic boom lift and fold. Pendulum suspension. TRIPLET nozzle holders standard.</p>	 <p>15, 16, 18, 20, 21, 24 LPZ Light Pendulum Z version 1998 2005 Electricly controlled hydraulic boom lift, fold, slant, tilt and fold of outer sections only. Pendulum suspension. TRIPLET nozzle holders standard.</p>
------------------------------------------------------------------------------------------------------------------------------------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------







Name Name origin Production start Production stop Tank size (litre) Notes	COMMANDER plus Updated version of COMMANDER with drawbar steering as an option. 2000 2005 2200, 2800, 3200, 4200 Drawbar hinged to tank frame.		
Boom size (m) Boom name Name origin Production start Production stop Notes	Picture missing	Picture missing	Picture missing
Boom size (m) Boom name Name origin Production start Production stop Notes	15, 16, 18 LPY Light Pendulum Y version 1998 2005 Hydraulic boom lift and fold. Pendulum suspension. TRIPLET nozzle holders standard.	15, 16, 18, 20, 21, 24 LPZ Light Pendulum Z version 1998 2005 Electricly controlled hydraulic boom lift, fold, slant, tilt and fold of outer sections only. Pendulum suspension. TRIPLET nozzle holders standard.	15, 16, 18, 20, 21, 24 LPV Light Pendulum V version 1998 2005 Electricly controlled hydraulic boom lift, fold, slant and fold of outer sections only. Pendulum suspension. TRIPLET nozzle holders standard.
Boom size (m) Boom name Name origin Production start Production stop Notes	 18, 20, 21, 24, 27, 28 OLH Olympic HARDI 1994 2001 Electricly controlled hydraulic boom lift, fold, slant, tilt and fold. Pendulum suspension. TRIPLET nozzle holders standard.	 18, 20, 21, 24, 27, 28 OLS Olympic S version 1994 2001 Hydraulic boom lift, fold, tilt, slant and fold. Hydraulics are indirect (switch and lever). Pendulum suspension. TRIPLET nozzle holders standard.	 18, 20, 21, 24, 27, 28 OLV Olympic V version 1994 2001 Electricly controlled hydraulic boom lift, fold, slant and fold. Pendulum suspension. TRIPLET nozzle holders standard.



<p>Boom size (m) Boom name Name origin Production start Production stop Notes</p>	<p>Picture missing</p>	<p>Picture missing</p>	 <p>18, 20, 21 SPB Spring suspended B version 1996 In production Trapeze suspension arms supported by two coil springs. Hydraulic boom lift and fold.</p>
<p>Boom size (m) Boom name Name origin Production start Production stop Notes</p>	 <p>24, 27, 28, 30 SPC Spring suspended C version 2002 In production Trapeze suspension arms supported by coil springs. Hydraulic boom lift. Manual and hydraulic fold version.</p>	 <p>18, 20 21, 24, 27, 28 HAY (TWIN FORCE) Hydraulic Air-assisted Y version 1997 In production Self contained hydraulic system to power two blowers for air assisted boom. Hydraulic lift and fold. Pendulum suspension.</p>	 <p>18, 20 21, 24, 27, 28 HAZ (TWIN FORCE) Hydraulic Air-assisted Z version 1997 In production Self contained hydraulic system to power two blowers for air assisted boom. Electricly controlled hydraulic boom lift, fold, slant, tilt and fold of outer sections only. Pendulum suspension.</p>
<p>Boom size (m) Boom name Name origin Production start Production stop Notes</p>	 <p>24, 27, 28, 30 32, 33, 36 HPZ (FORCE) Hydraulic Pendulum Z version 2001 In production Electricly controlled hydraulic boom lift, fold, slant, tilt and fold. Pendulum suspension.</p>	 <p>24, 27, 28, 30 32, 33, 36 FTZ (FORCE) FORCE trapeze Z version 2001 In production Electricly controlled hydraulic boom lift, fold, slant, tilt and fold. Trapeze suspension.</p>	



<p>Name Name origin Production start Production stop Tank size (litre) Notes</p>	<p>COMMANDER classic Economy version of COMMANDER plus. 2003 2007 2200, 2800, 3200, 4200 Drawbar hinged to tank frame.</p>		
<p>Boom size (m) Boom name Name origin Production start Production stop Notes</p>	 <p>12, 15, 16, 18 VHY (PRO) Vertical hydraulic Y version 2002 In production Hydraulic lift and fold. Boom folds to vertical position.</p>	 <p>12, 15, 16, 18 VHZ (PRO) Vertical hydraulic Z version 2002 In production Electric over hydraulic lift and fold. Boom folds to vertical position.</p>	 <p>18, 20, 21 SPB Spring suspended B version 1996 In production Trapeze suspension arms supported by two coil springs. Hydraulic boom lift and fold.</p>
<p>Boom size (m) Boom name Name origin Production start Production stop Notes</p>	 <p>24, 27, 28, 30 SPC Spring suspended C version 2002 In production Trapeze suspension arms supported by coil springs. Hydraulic boom lift. Manual and hydraulic fold version.</p>	<p>Picture missing</p> <p>15, 16, 18 LPY Light Pendulum Y version 1998 2005 Hydraulic boom lift and fold. Pendulum suspension.</p>	<p>Picture missing</p> <p>15, 16, 18, 20, 21, 24 LPZ Light Pendulum Z version 1998 2005 Electricly controlled hydraulic boom lift, fold, slant, tilt and fold of outer sections only. Pendulum suspension.</p>